

LED Vapour Tights

MODEL VT-40W | VT-40WMS

ORTECH

Instruction Manual



WARNING

WARNING — THE INSTALLATION MUST BE CARRIED OUT BY A QUALIFIED ELECTRICIAN.

1. LED Vapour Tight can only be installed by a qualified electrician
2. Before installation or maintenance, please disconnect the power to prevent electric shock
3. Any non-professionals are not allowed to disassemble the lamp

APPLICATION NOTICE


- DO NOT cover the fixtures with flammable materials
- Lamps should always be installed or replaced with care
- Misuse of, or changes to the fixture shall nullify the guarantee
- Before installing the lighting fixtures, please read this instruction manual carefully
- When a lamp is to be cleaned, make the power off and let it cool down completely. Clean the fixture with a soft cloth and a standard PH neutral detergent
- Check the local voltage in accordance with the product requirements before using the product. Exclusively replaced by the manufacturer or his service agent or the similar qualified person in order to avoid a hazard
- The lighting fixtures should be installed, connected and tested by a certified installer based on the local regulations
- Re-lamping only can be done when the power is off and the lamp is completely cooled down

CAUTION


PLEASE READ INSTRUCTION BEFORE COMMENCING INSTALLATION AND RETAIN FOR FUTURE REFERENCES. Electrical products can cause death or injury, or damage to property. If in any doubt about the installation or use of this product, consult a competent electrician. Turn off the main power at the circuit breaker before installing the fixture, in order to prevent possible shock.

INSTALLATION GUIDE

1. Confirm the mounting method of waterproof connector.




2. Release the lock clips to open fixture cover.




ORTECH reserves the right to modify at any time, without notice, any or all of our product's features, designs, components and specifications to meet market changes.

INSTALLATION GUIDE

3. Press to fasten all lock clips.




4. Check all clips are fastened properly.




SURFACE MOUNTED INSTALLATION


1. Drill holes in the wall, install mounting clips to wall with screws and plastic expansion tubes.




2. Push fixture into mounting clips for fixing.



3. Installed view as bellow figure.



4. Turn on lights after connecting to line voltage.




ORTECH reserves the right to modify at any time, without notice, any or all of our product's features, designs, components and specifications to meet market changes.

SUSPENDED INSTALLATION


1. Drill hole in the wall, install the fixing base with a screw and a plastic expansion tube.




2. Hang the mounting clip to the hook of suspension cable.



3. Push the fixture into mounting clip for fixing.



4. Turn on the lights after installation.



ORTECH reserves the right to modify at any time, without notice, any or all of our product's features, designs, components and specifications to meet market changes.