






HIGHLIGHTS

- Vent located at the front
- Available in Black colour trim only
- High quality log-set, crystals and pebbles for fuel bed
- Multiple 10 colours and HD+ LED for realistic flame effect
- With the option of wall mount or recessed design & multiple heater & flame settings
- Ideal for both new construction or renovations and operates with remote or touch control button
- 40" wall mounted, recessed one-sided electric fireplace with two levels of heating adjustment, low / high heat

SPECIFICATIONS

Model	LEDFP-40
Wattage	Max.1500W
Voltage	110-120V AC
Material	Log / Crystals
Installation	Wall mounted and recessed
Timer	0.5-8 hours
Control Mode	Touch Panel / Remote Control
Flame Colours	10 colours multiple LED lights for flame effect
Flame Brightness	5 levels
Overheat Protection	Yes
Heating Area	400 ft ²
Warranty	1 Year

DIMENSIONS



Fireplaces

MODEL LEDFP-40

DIFFERENT COLOUR DISPLAYS



Reference	QTY.	Remarks	Project:
			Location:
			Architect:
			Engineer:
			Contractor:
			Submitted by:
			Date:

ORTECH reserves the right to modify at any time, without notice, any or all of our product's features, designs, components and specifications to meet market changes.